

INSPECTION CERTIFICATE acc to EN 10 204 3.1

Processkontroll Items AB Box 2088 444 02 STORA HÖGA SWEDEN

INSPECTION STAMP QA-TUBE

Customer References		Sandvik Re	eferences		
	Customer	Order No.	Subs No.	ABSMT Dis	spatch note
713758	order	360709	566511	17683/54	
	2014-02-18	ABSMT No.	C.Code		
		300-99449			
003-00991 ITEMS			10		
Material description		Steel/mate	rial Degi	anationa	
SEAMLESS STAINLESS COLD	FINICHED	Sandvik	ETTAT DEST	AISI	
HYDRAULIC TUBING	TINIDIID	3R60		TP316/TI	12161
IIIDRAODIC IODING		EN no		1F310/11	F 5 T 0 H
		1.4435			
		1.4435			
Steel making process					
Electric furnace					
Technical requirements					
ASTM A-213-13 AW, ASME		AD-11A AW,	ASTM A-26	9-13	
NACE MR0175/ISO 15156-3					
PED 97/23/EC EN 10216-5	TC1				
HRB MAX 80					
EXTENT OF DELIVERY					
It Product designation	ation Hea	at Lot I	Pieces	Kg	М
01 THT-3R60-10-1.5		7675 23284	20	39.0	120.00
10.00 X 1.50					
		Total	20	39.0	120.00
TEST RESULTS					
Chemical composition (we	eight%)				
Heat C Si	Mn	P S	i C	r N:	i Mo
537675 0.017 0.43	1.62		.007 17.		
N	1.02	0.02) 0.		10.1	15 2.52
537675 0.039					
557675 0:035					
Chomical composition p	roduct (woid	6+%)			
Chemical composition, pr					
Heat C Si 537675 0.023 0.43	Mn			r N	
	1.61	0.030 0.	.007 17.	30 13.2	13 2.53
N N					
537675 0.036					
337873 0.030					
Tensile test at room ter			_	_	
Tensile test at room ter Yield stro	ength	Tensile stre	-	ongation	
Tensile test at room ter	ength	Tensile stre MPa	ength El %	- %	
Tensile test at room ten Yield stro MPA MPA Lot Rp0.2 Rp3	ength 1 a 1 1.0	MPa Rm	- % A	2"	
Tensile test at room ter Yield stro MPA MP3	ength 1 a 1 1.0 1	MPa	~ %	2"	

Quality assurance - Lars-Åke Bergqvist / QA-manager MTC Service / Certificates

AB SANDVIK MATERIALS TECHNOLOGY Reg No. 556234-6832 VAT No. SE663000-060901 SE-81181 SANDVIKEN SWEDEN www.smt.sandvik.com mtc_service.smt@sandvik.com



Hardness test				
	Min	Max		
Lot 23284	HRB 72	HRB 74		
Following controls/tests have been satisfactorily performed: - Flattening test.				
	ar corrosio	n test acc to ASTM A-262 PR.E		
		t test acc to EN 10246-2, ASME SA-1016. dimensional control.		
Heat Treatment: Solution annealed at a temperature of Min 1040° C and quenched.				
Marking: SANDVIK 3R60 ASTM/ASME A/SA-213AW A-269 EN 10216-5 TC1 EN 10305-1 EN 1.4435 TP 316/316L COLD SMLS NDE 10.00 X 1.50 MM HT 537675 SS LOT 23284 MADE BY SANDVIK IN SWEDEN *QA-TUBE*				
The raw material is free from radioactive contamination.				
Material free from mercury contamination.				
Approved acc. AD 2000-Merkblatt W0 and certified acc. to Pressure Equipment Directive (97/23/EC) by TUEV NORD; notified body, reg.no. 0045.				
The number of tests are based on the size of the manufacturing lot before cutting to finished lengths.				
The delivered products comply with the specifications and requirements of the order.				
The material is manufactured according to a Quality system, approved and registered to ISO 9001:2008.				
No unauthorized alterations. The contents of this Inspection Certificate may not be modified or revised in any way without the prior written approval of AB Sandvik Materials Technology. Unauthorized alterations to the Inspection Certificate, including introduction of false, fictitious or fraudulent statements or entries, may be punishable by fines, imprisonment, or both. This Inspection Certificate may be copied only in the manner and for the purposes specified in Section 6 of EN 10204:2004. Contravention of this notice will be prosecuted to the fullest extent of applicable law.				
The certificat	te is produ	ced with EDP and valid without signature.		