

INSPECTION CERTIFICATE acc to EN 10204 3.1

Processkontroll Items AB Box 2088 444 02 STORA HÖGA SWEDEN

INSPECTION STAMP QA-TUBE

Customer Re	ferences		Sandvik F	References			
753252		Customer order 2016-04-06	437155	607838 C.Code		ispatch note 4	
003-00991	ITEMS						
Material description SEAMLESS STAINLESS COLD FINISHED HYDRAULIC TUBING			Steel/mat Sandvik 3R60 EN no 1.4435	3R60 TP316/TP316L EN no			
Steel makin Electric fu							
Technical requirements ASTM A-213-15C AW, ASME SA-213-ED-15 AW, ASTM A-269-15A NACE MR0175/ISO 15156-3:2009 PED 97/23/EC EN 10216-5 TC1 HRB MAX 80							
EXTENT OF D	ELIVERY						
It Pr 01 THT	oduct designa -3R60-8-1 0 X 1.00		at Lot 8215 53843	Pieces 20	Kg 21.0	M 120.00	
Total 20 21.0 120.00 KEY TO HEAT Heat Code Heat No. 120.00 048215 543654 120.00 120.00							
TEST RESULTS Chemical composition (weight%)							
Heat C 048215 0. N 048215 048215 0.	020 0.39	Mn 1.62		s c).0070 17.		Ni Mo .08 2.52	

Chemical composition, product (weight%) Si Mn P Heat C S Cr Ni Mo 1.62 0.032 0.0070 17.38 13.09 048215 0.020 0.41 2.53 Ν 048215 0.036

Quality assurance - Lars-Åke Bergqvist / QA-manager MTC Service / Certificates

AB SANDVIK MATERIALS TECHNOLOGY Reg No. 556234-6832 VAT No. SE663000-060901 SE-81181 SANDVIKEN SWEDEN www.smt.sandvik.com mtc_service.smt@sandvik.com



Tensile test		temperature strength MPa	Tensile strength MPa	Elong %	ation %			
Lot 53843	Rp0.2 326	Rp1.0	Rm 579	A 54				
55045	520	571		JI	21			
Hardness test	: Min	Max						
Lot 53843	HRB 73	HRB 75						
<pre>Following controls/tests have been satisfactorily performed: - Flattening test Flaring test - PMI-test Intergranular corrosion test acc to ASTM A-262 PR.E - Leak test: Eddy current test acc to EN 10246-2, ASME SA-1016 Visual inspection and dimensional control.</pre>								
Heat Treatment: Solution annealed at a temperature of Min 1040° C and quenched.								
Marking: SANDVIK 3R60 ASTM/ASME A/SA-213 A-269 EN 10216-5 TC1 EN 10305-1 COLD AW EN 1.4 435 TP316/316L CFA SMLS NDE 8.00 X 1.00 MM HT 543654 SS LOT 53843 MADE BY SAND VIK IN SWEDEN *QA-TUBE*								
The raw material is free from radioactive contamination.								
Material free from mercury contamination.								
Approved acc. AD 2000-Merkblatt W0 and certified acc. to Pressure Equipment Directive (97/23/EC) by TUEV NORD; notified body, reg.no. 0045.								
The number of tests are based on the size of the manufacturing lot before cutting to finished lengths.								
The delivered products comply with the specifications and requirements of the order.								
The material is manufactured according to a Quality system, approved and registered to ISO 9001:2008.								
No unauthorized alterations. The contents of this Inspection Certificate may not be modified or revised in any way without the prior written approval of AB Sandvik Materials Technology. Unauthorized alterations to the Inspection Certificate, including introduction of false, fictitious or fraudulent statements or entries, may be punishable by fines, imprisonment, or both. This Inspection Certificate may be copied only in the manner and for the purposes specified in Section 6 of EN 10204:2004. Contravention of this notice will be prosecuted to the fullest extent of applicable law.								
The certifica	ate is pi	roduced with H	EDP and valid withou	ıt sign	ature.			