



Instrumentation Solutions for Hydrogen-Powered Vehicles


Associated Products for Hydrogen Service




ENGINEERING YOUR SUCCESS.

Parker at the Front End of Innovation for the Hydrogen Market

Parker Hannifin are committed to supporting the energy transition and safe deployment of Hydrogen as an environmentally friendly future fuel source. And the hydrogen revolution is happening now.



As a leading manufacturer in motion and control technologies, Parker offers a wide range of products orientated to the hydrogen transportation market, from fuel cell platforms for trucks and buses to hydrogen storage.



Our comprehensive product portfolio covers a wide variety of pressures to help design engineers overcome some of the technical challenges of such critical and demanding applications.

Download our catalogue with a range of components and systems for use with gaseous and liquid hydrogen.

Material and equipment selection for hydrogen service

When it comes to handling hydrogen, material and equipment selection becomes, more than ever, an essential ingredient for success. End users need to pay special attention to the materials of construction and the quality of the equipment that goes into their assets.

As a manufacturer of pressure containing equipment, Parker has decades of experience in serving hydrogen applications. Parker products are designed to minimise the risk associated with corrosion and hydrogen attack, and ultimately provide safe and reliable performance in the field.

The raw materials used are fully traceable and closely controlled from melting stage to the finished product. In addition, Parker's manufacturing processes are selected to ensure minimum operating risk in hydrogen environments.

As well as stainless steel, Parker can also offer a variety of nickel alloys.

We are here to help you. Our knowledge and expertise are at your doorstep.

On-site training

At Parker, we recognise that leak-free performance is at the top of your agenda. Anyone installing Parker products for hydrogen service will be offered Small Bore Expert (SBEx) training that includes the following topics:

- Instrumentation Safety
- Tube Fabrication and Bending Techniques
- Safe compression Fitting Make-up/Cone & Thread
- Industry Best Practices
- Product Selection
- Installation and Maintenance

Parker has an improved and optimised installation procedure for its A-LOK® parts when they are used in hydrogen service.

Components for Hydrogen-Powered Vehicles

Parker Instrumentation offers a wide range of components for on-board hydrogen-powered trucks, buses, marine vessels and for hydrogen infrastructure applications.

TWO FERRULE TUBE FITTINGS - A-LOK® EC-79 Certified

A-LOK® tube fittings have been approved for use on-board hydrogen-powered vehicles up to **350 barg (5,076 psi)** pressures.

A-LOK® tube fittings have provided proven performance in hydrogen systems for many years and are available as an integral end connections on our extended product range, including all valve types. This will reduce the need for 'threaded' components and therefore reduce the number of potential leak points across your installations.

MEDIUM PRESSURE FITTINGS & NEEDLE VALVES EC-79 Certified

Parker Autoclave Engineers® cone and thread fittings and needle valves SM Series have been approved for use on-board hydrogen-powered vehicles up to **700 barg (10,152 psi)** pressures.

The EC-79 regulation guarantees the safety and performance of H₂ equipment under different pressures, electric, mechanical, thermal or chemical conditions.



Hydrogen fuel cell vehicles

Parker products are designed to minimise the risk associated with corrosion and hydrogen attack and provide safe and reliable performance in the field.

BALL VALVES B SERIES



OTHER AUTOCLAVE ENGINEERS® PRODUCTS



INLINE FILTERS F SERIES

Dispensers



AUTOCLAVE ENGINEERS® NEEDLE VALVES 20SM AND CHECK VALVES CXO Tested, Pending ISO-19880-3 Certification

These specially modified needle and check valves have passed all the required tests for high pressure gas valves used in hydrogen fuelling stations per ISO 19880-3 specification. The hydrogen variation to the needle valves incorporates a unique stem/seat and packing design that can withstand temperatures ranging between -73°C and 316°C and pressures of up to 700 bar (10,152 psi) while increasing cycle life by as much as 40%. These valves are available with cone & thread and MPI™ connection options.



BESTOBELL CRYOGENIC VALVES

Designed and engineered for use with Group 1 gases, Parker Bestobell valves are suitable for liquid hydrogen applications requiring temperatures as low as -253°C and pressures up to 50 bar (725 psi).

The range includes:

- Globe Valves
- Lift Check Valves
- Swing Check Valves
- Gate Valves

Download our catalogue with a range of components and systems for use with gaseous and liquid hydrogen.

Our comprehensive solutions for hydrogen-powered vehicles include:

- System Design
- EC-79 Approved Products
- E-Powertrain Expertise
- Alternative Fuel Expertise
- Complementary Technologies



Hydrogen storage tanks, compressors and pressure control devices



WARNING

FAILURE, IMPROPER SELECTION OR IMPROPER USE OF THE PRODUCTS AND/OR SYSTEMS DESCRIBED HEREIN OR RELATED ITEMS CAN CAUSE DEATH,
PERSONAL INJURY AND PROPERTY DAMAGE.

This document and other information from Parker Hannifin Corporation, its subsidiaries or its authorized distributors provide product and/or system options for further investigation by users having technical expertise. It is important that you analyze all aspects of your application and review the information concerning the product or system in the current product catalog. Due to the variety of operating conditions and applications for these products or systems, the user, through its own analysis and testing, is solely responsible for making the final selection of the products and systems and assuring that all performance, safety and warning requirements of the application are met. The products described herein, including without limitation, product features, specifications, designs, availability and pricing, are subject to change by Parker Hannifin Corporation and its subsidiaries at any time without notice.

Offer of Sale

The items described in this document are available for sale by Parker Hannifin Corporation, its subsidiaries or its authorized distributors. Any sale contract entered into by Parker will be governed by the provisions stated in Parker's standard terms and conditions of sale (copy available upon request).

Worldwide Division Headquarters

Europe, Middle East, Africa

AE – United Arab Emirates,

Dubai

Tel: +971 4 8127100

AT – Austria, St. Florian

Tel: +43 (0)7224 66201

AZ – Azerbaijan, Baku

Tel: +994 50 2233 458

BE/NL/LU – Benelux,

Hendrik Ido Ambacht

Tel: +31 (0)541 585 000

BY – Belarus, Minsk

Tel: +48 (0)22 573 24 00

CH – Switzerland, Etoy

Tel: +41 (0)21 821 87 00

CZ – Czech Republic,

Prague

Tel: +420 284 083 111

DE – Germany, Kaarst

Tel: +49 (0)2131 4016 0

DK – Denmark, Ballerup

Tel: +45 43 56 04 00

ES – Spain, Madrid

Tel: +34 902 330 001

FI – Finland, Vantaa

Tel: +358 (0)20 753 2500

FR – France, Contamine s/Arve

Tel: +33 (0)4 50 25 80 25

GR – Greece

Tel: +30 69 44 52 78 25

HU – Hungary, Budaörs

Tel: +36 23 885 470

IE – Ireland, Dublin

Tel: +353 (0)1 466 6370

IL – Israel

Tel: +39 02 45 19 21

IT – Italy, Corsico (MI)

Tel: +39 02 45 19 21

KZ – Kazakhstan, Almaty

Tel: +7 7273 561 000

NO – Norway, Asker

Tel: +47 66 75 34 00

PL – Poland, Warsaw

Tel: +48 (0)22 573 24 00

PT – Portugal

Tel: +351 22 999 7360

RO – Romania, Bucharest

Tel: +40 21 252 1382

RU – Russia, Moscow

Tel: +7 495 645-2156

SE – Sweden, Borås

Tel: +46 (0)8 59 79 50 00

SL – Slovenia, Novo Mesto

Tel: +386 7 337 6649

TR – Turkey, Istanbul

Tel: +90 216 4997081

UK – United Kingdom, Warwick

Tel: +44 (0)1926 317 878

ZA – South Africa, Kempton Park

Tel: +27 (0)11 961 0700

North America

CA – Canada, Milton, Ontario

Tel: +1 905 693 3000

US – USA, Cleveland

Tel: +1 216 896 3000

Asia Pacific

AU – Australia, Castle Hill

Tel: +61 (0)2-9634 7777

CN – China, Shanghai

Tel: +86 21 2899 5000

HK – Hong Kong

Tel: +852 2428 8008

IN – India, Mumbai

Tel: +91 22 6513 7081-85

JP – Japan, Tokyo

Tel: +81 (0)3 6408 3901

KR – South Korea, Seoul

Tel: +82 2 559 0400

MY – Malaysia, Shah Alam

Tel: +60 3 7849 0800

NZ – New Zealand, Mt Wellington

Tel: +64 9 574 1744

SG – Singapore

Tel: +65 6887 6300

TH – Thailand, Bangkok

Tel: +662 186 7000

TW – Taiwan, Taipei

Tel: +886 2 2298 8987

South America

AR – Argentina, Buenos Aires

Tel: +54 3327 44 4129

BR – Brazil, Sao Jose dos Campos

Tel: +55 080 0727 5374

CL – Chile, Santiago

Tel: +56 22 303 9640

MX – Mexico, Toluca

Tel: +52 72 2275 4200

European Product Information Centre

Free phone: 00 800 27 27 5374

(from AT, BE, CH, CZ, DE, DK, EE, ES, FI, FR, IE, IL, IS, IT, LU, MT, NL, NO, PL, PT, RU, SE, SK, UK, ZA)

